

GE LFL 2018 DOE SKU

| | | | Feb. 8, 2017 | Current Ratings | | | | | 2018 Ratings | | | | | | |
|--------------------------------------|---------------------|------------------|-----------------------|------------------------|-------------------------|----------------|-------------|--------------|--------------|------------------------|-------------------------|----------------|-------------|--------------|----------|
| Watts | Nominal Length (in) | Order Code | Description | Rated Life (3hr/Start) | Rated Life (12hr/Start) | Initial Lumens | Mean Lumens | Color Temp K | CRI | Rated Life (3hr/Start) | Rated Life (12hr/Start) | Initial Lumens | Mean Lumens | Color Temp K | CRI |
| 4' T8 Ecolux® SPP | | | | | | | | | | | | | | | |
| 32 | 48 | 66347 | F32T8/SPP30/ECO | 30000 | 36000 | 2900 | 2725 | 3000 | 80 | | | | | | DELISTED |
| 32 | 48 | 66348 | F32T8/SPP35/ECO | 30000 | 36000 | 2900 | 2725 | 3500 | 80 | | | | | | DELISTED |
| 32 | 48 | 66349 | F32T8/SPP41/ECO | 30000 | 36000 | 2900 | 2725 | 4100 | 80 | | | | | | DELISTED |
| 32 | 48 | 66350 | F32T8/SPP50/ECO | 30000 | 36000 | 2900 | 2725 | 5000 | 80 | | | | | | DELISTED |
| 32 | 48 | 66351 | F32T8/SPP65/ECO | 30000 | 36000 | 2900 | 2725 | 6500 | 78 | | | | | | DELISTED |
| 32 | 48 | 69842 | F32T8SPP35ECOUPC | 30000 | 36000 | 2900 | 2725 | 3500 | 80 | | | | | | DELISTED |
| 32 | 48 | 69843 | F32T8SPP41ECOUPC | 30000 | 36000 | 2900 | 2725 | 4100 | 80 | | | | | | DELISTED |
| 32 | 48 | 69844 | F32T8SPP50ECOUPC | 30000 | 36000 | 2900 | 2725 | 5000 | 80 | | | | | | DELISTED |
| 32 | 48 | 17197 | F32T8/SPP35/PAL | 30000 | 36000 | 2900 | 2725 | 3500 | 80 | | | | | | DELISTED |
| 32 | 48 | 17216 | F32T8/SPP41/PAL | 30000 | 36000 | 2900 | 2725 | 4100 | 80 | | | | | | DELISTED |
| 32 | 48 | 76408 | F32T8/SPP41/30PK | 30000 | 36000 | 2900 | 2725 | 4100 | 80 | | | | | | DELISTED |
| 32 | 48 | 88804 | F32T8SPP41/UPCWPC | 30000 | 36000 | 2900 | 2725 | 4100 | 80 | | | | | | DELISTED |
| 32 | 48 | 88805 | F32T8SPP41WP-2PK | 30000 | 36000 | 2900 | 2725 | 4100 | 80 | | | | | | DELISTED |
| 32 | 48 | 40722 | F32T8/830/LUMA | 30000 | 36000 | 2900 | 2725 | 3000 | 80 | | | | | | DELISTED |
| 32 | 48 | 40725 | F32T8/835/LUMA | 30000 | 36000 | 2900 | 2725 | 3500 | 80 | | | | | | DELISTED |
| 32 | 48 | 40728 | F32T8/841/LUMA | 30000 | 36000 | 2900 | 2725 | 4100 | 80 | | | | | | DELISTED |
| 32 | 48 | 40731 | F32T8/850/LUMA | 30000 | 36000 | 2900 | 2725 | 5000 | 80 | | | | | | DELISTED |
| 32 | 48 | 40734 | F32T8/865/LUMA | 30000 | 36000 | 2900 | 2725 | 6500 | 78 | | | | | | DELISTED |
| 4' T8 Ecolux® SPX | | | | | | | | | | | | | | | |
| 32 | 48 | 68850 | F32T8/SPX30/ECO2 | 30000 | 36000 | 2925 | 2770 | 3000 | 85 | 30000 | 36000 | 3000 | 2820 | 3000 | 85 |
| 32 | 48 | 68851 | F32T8/SPX35/ECO2 | 30000 | 36000 | 2925 | 2770 | 3500 | 85 | 30000 | 36000 | 3000 | 2820 | 3500 | 85 |
| 32 | 48 | 68852 | F32T8/SPX41/ECO2 | 30000 | 36000 | 2925 | 2770 | 4100 | 85 | 30000 | 36000 | 3000 | 2820 | 4100 | 85 |
| 32 | 48 | 68853 | F32T8/SPX50/ECO2 | 30000 | 36000 | 2900 | 2755 | 5000 | 82 | 30000 | 36000 | 2900 | 2725 | 5000 | 80 |
| 32 | 48 | 66342 | F32T8/SPX65/ECO2 | 30000 | 36000 | 2900 | 2755 | 6500 | 78 | 30000 | 36000 | 2900 | 2725 | 6500 | 78 |
| 32 | 48 | TBD | F32T8/830X/LUMA | | | | | | | 30000 | 36000 | 3000 | 2820 | 3000 | 85 |
| 32 | 48 | TBD | F32T8/835X/LUMA | | | | | | | 30000 | 36000 | 3000 | 2820 | 3500 | 85 |
| 32 | 48 | TBD | F32T8/841X/LUMA | | | | | | | 30000 | 36000 | 3000 | 2820 | 4100 | 85 |
| 32 | 48 | TBD | F32T8/850X/LUMA | | | | | | | 30000 | 36000 | 2900 | 2725 | 5000 | 80 |
| 32 | 48 | TBD | F32T8/865X/LUMA | | | | | | | 30000 | 36000 | 2900 | 2725 | 6500 | 78 |
| 4' T8 Metric | | | | | | | | | | | | | | | |
| 32 | 48 | 77538 | F32T8/SPX35/METR | 18000 | | 2750 | 2300 | 3500 | 86 | 18000 | | 2750 | 2300 | 3500 | 85 |
| 32 | 48 | 77539 | F32T8SPX41METRIC | 18000 | | 2750 | 2300 | 4100 | 86 | 18000 | | 2750 | 2300 | 4100 | 85 |
| 4' T8 Ecolux® XL Extra-life | | | | | | | | | | | | | | | |
| 32 | 48 | 68854 | F32T8/XL/SPX30/ECO2 | 40000 | 45000 | 2925 | 2770 | 3000 | 85 | | | | | | DELISTED |
| 32 | 48 | 68855 | F32T8/XL/SPX35/ECO2 | 40000 | 45000 | 2925 | 2770 | 3500 | 85 | | | | | | DELISTED |
| 32 | 48 | 68856 | F32T8/XL/SPX41/ECO2 | 40000 | 45000 | 2925 | 2770 | 4100 | 85 | | | | | | DELISTED |
| 32 | 48 | 68857 | F32T8/XL/SPX50/ECO2 | 40000 | 45000 | 2850 | 2700 | 5000 | 82 | | | | | | DELISTED |
| 32 | 48 | 68858 | F32T8/XL/SPX65/ECO2 | 40000 | 45000 | 2750 | 2610 | 6500 | 78 | | | | | | DELISTED |
| 4' T8 Ecolux® High Lumen | | | | | | | | | | | | | | | |
| 32 | 48 | 10327 | F32T8/XL/SPX30/HL/ECO | 40000 | 45000 | 3100 | 2915 | 3000 | 85 | | | | | | DELISTED |
| 32 | 48 | 10326 | F32T8/XL/SPX35/HL/ECO | 40000 | 45000 | 3100 | 2915 | 3500 | 85 | 40000 | 45000 | 3100 | 2915 | 3500 | 85 |
| 32 | 48 | 10322 | F32T8/XL/SPX41/HL/ECO | 40000 | 45000 | 3100 | 2915 | 4100 | 82 | 40000 | 45000 | 3100 | 2915 | 4100 | 82 |
| 32 | 48 | 42556 | F32T8/XL/SPX50/HL/ECO | 40000 | 45000 | 3000 | 2820 | 5000 | 80 | 40000 | 45000 | 3000 | 2820 | 5000 | 80 |
| 32 | 48 | "xxxxxx (68858)" | F32T8/XL/SPX65/HL/ECO | | | | | | | 40000 | 45000 | 2925 | 2750 | 6500 | 78 |
| 4' T8 Ecolux® Super Long Life | | | | | | | | | | | | | | | |
| 32 | 48 | 73094 | F32T8/SXL/SPX35/ECO | 65000 | 67000 | 2850 | 2675 | 3500 | 85 | | | | | | DELISTED |
| 32 | 48 | 73095 | F32T8/SXL/SPX41/ECO | 65000 | 67000 | 2850 | 2675 | 4100 | 82 | | | | | | DELISTED |
| 32 | 48 | 73096 | F32T8/SXL/SPX50/ECO | 65000 | 67000 | 2800 | 2630 | 5000 | 80 | 65000 | 67000 | 2925 | 2745 | 5000 | 80 |
| 4' T8 Ecolux® Proline | | | | | | | | | | | | | | | |
| 32 | 48 | 63546 | F32T8/830/PRO/ECO | 20000 | | 2925 | | 3000 | 85 | 20000 | | 2975 | | 3000 | 85 |
| 32 | 48 | 63547 | F32T8/835/PRO/ECO | 20000 | | 2925 | | 3500 | 85 | 20000 | | 2975 | | 3500 | 85 |
| 32 | 48 | 63548 | F32T8/841/PRO/ECO | 20000 | | 2925 | | 4100 | 85 | 20000 | | 2975 | | 4100 | 85 |
| 32 | 48 | 63549 | F32T8/850/PRO/ECO | 20000 | | 2900 | | 5000 | 82 | 20000 | | 2900 | | 5000 | 80 |

| Watts | Nominal Length (in) | Order Code | Description | Rated Life (3hr/Start) | Rated Life (12hr/Start) | Initial Lumens | Mean Lumens | Color Temp K | CRI | Rated Life (3hr/Start) | Rated Life (12hr/Start) | Initial Lumens | Mean Lumens | Color Temp K | CRI |
|---|---------------------|-----------------------------------|--|------------------------|-------------------------|----------------|-------------|--------------|-----|------------------------|-------------------------|----------------|-------------|--------------|-----|
| 4' T8 Ecolux® Consumer | | | | | | | | | | | | | | | |
| 32 | 48 | 66829, 66834, 94436 | F32T8/KBP/ECO | 20000 | | 2900 | 2755 | 3000 | 80 | 20000 | | 2975 | 2800 | 3000 | 80 |
| 32 | 48 | 66837, 94432 | F32T8/WS/ECO | 20000 | | 2900 | 2755 | 3500 | 80 | 20000 | | 2975 | 2800 | 3500 | 80 |
| 32 | 48 | 66826, 66828, 66833, 67600 | F32T8/GB/ECO | 20000 | | 2900 | 2755 | 4100 | 80 | 20000 | | 2975 | 2800 | 4100 | 80 |
| 32 | 48 | 66832, 10700 | F32T8/CL/ECO | 20000 | | 2900 | 2755 | 5000 | 80 | 20000 | | 2900 | 2725 | 5000 | 80 |
| 32 | 48 | 66830, 66835, 94431 | F32T8/AS/ECO | 20000 | | 2900 | 2755 | 6500 | 80 | 20000 | | 2900 | 2725 | 6500 | 80 |
| 32 | 48 | 66352, 66827, 66831, 66836, 90122 | F32T8/C41/ECO, F32T8/CW/C/ECO, F32T8/CW/C41/ECO, F32T8/UT/ECO, F32T8/CW/GV | 15000 | | 1800 | 1620 | 4100 | 87 | 15000 | | 1800 | 1620 | 4100 | 87 |
| 4' T8 Ecolux® High Color Rendering | | | | | | | | | | | | | | | |
| 32 | 48 | 66343 | F32T8/C50/ECO | 30000 | 36000 | 1700 | 1600 | 5000 | 90 | 30000 | 36000 | 1700 | 1600 | 5000 | 90 |
| 32 | 48 | 66344 | F32T8/C75/ECO | 30000 | 36000 | 1700 | 1600 | 7500 | 93 | 30000 | 36000 | 1700 | 1600 | 7500 | 93 |

Ultra Energy Saving T8 Lamps

| Watts | Nominal Length (in) | Order Code | Description | Rated Life (3hr/Start) | Rated Life (12hr/Start) | Initial Lumens | Mean Lumens | Color Temp K | CRI | Rated Life (3hr/Start) | Rated Life (12hr/Start) | Initial Lumens | Mean Lumens | Color Temp K | CRI |
|--|---------------------|------------|------------------------|------------------------|-------------------------|----------------|-------------|--------------|-----|------------------------|-------------------------|----------------|-------------|--------------|-----|
| 4' T8 Ecolux® 25 Watt Lamp | | | | | | | | | | | | | | | |
| SPP Family | | | | | | | | | | | | | | | |
| 25 | 48 | 66467 | F32T8/25W/SPP35/ECO | 40000 | 45000 | 2500 | 2350 | 3500 | 80 | 40000 | 45000 | 2500 | 2350 | 3500 | 80 |
| 25 | 48 | 66468 | F32T8/25W/SPP41/ECO | 40000 | 45000 | 2500 | 2350 | 4100 | 80 | 40000 | 45000 | 2500 | 2350 | 4100 | 80 |
| 25 | 48 | 66469 | F32T8/25W/SPP50/ECO | 40000 | 45000 | 2500 | 2350 | 5000 | 80 | 40000 | 45000 | 2500 | 2350 | 5000 | 80 |
| SPX Family | | | | | | | | | | | | | | | |
| 25 | 48 | 72128 | F32T8/25W/SPX30/ECO | 50000 | 55000 | 2500 | 2350 | 3000 | 85 | 50000 | 55000 | 2500 | 2350 | 3000 | 85 |
| 25 | 48 | 72129 | F32T8/25W/SPX35/ECO | 50000 | 55000 | 2500 | 2350 | 3500 | 85 | 50000 | 55000 | 2500 | 2350 | 3500 | 85 |
| 25 | 48 | 72130 | F32T8/25W/SPX41/ECO | 50000 | 55000 | 2500 | 2350 | 4100 | 85 | 50000 | 55000 | 2500 | 2350 | 4100 | 85 |
| 25 | 48 | 72131 | F32T8/25W/SPX50/ECO | 50000 | 55000 | 2500 | 2350 | 5000 | 80 | 50000 | 55000 | 2500 | 2350 | 5000 | 80 |
| 25 | 48 | 40751 | F32T825W835/LUMA | 50000 | 55000 | 2500 | 2350 | 3500 | 85 | 50000 | 55000 | 2500 | 2350 | 3500 | 85 |
| 25 | 48 | 40752 | F32T825W841/LUMA | 50000 | 55000 | 2500 | 2350 | 4100 | 85 | 50000 | 55000 | 2500 | 2350 | 4100 | 85 |
| 25 | 48 | 40753 | F32T825W850/LUMA | 50000 | 55000 | 2500 | 2350 | 5000 | 80 | 50000 | 55000 | 2500 | 2350 | 5000 | 80 |
| 4' T8 Ecolux® 25 Watt Super Long Life | | | | | | | | | | | | | | | |
| 25 | 48 | 93905 | F32T825W/SXL/SPX35/ECO | 80000 | 84000 | 2400 | 2260 | 3500 | 82 | 80000 | 84000 | 2400 | 2260 | 3500 | 82 |
| 25 | 48 | 93906 | F32T825W/SXL/SPX41/ECO | 80000 | 84000 | 2400 | 2260 | 4100 | 82 | 80000 | 84000 | 2400 | 2260 | 4100 | 82 |
| 25 | 48 | 93907 | F32T825W/SXL/SPX50/ECO | 80000 | 84000 | 2400 | 2260 | 5000 | 80 | 80000 | 84000 | 2400 | 2260 | 5000 | 80 |
| 4' T8 Ecolux® UltraMax® 28 Watt Lamp | | | | | | | | | | | | | | | |
| SPP Family | | | | | | | | | | | | | | | |
| 28 | 48 | 66471 | F28T8/XL/SPP35/ECO | 40000 | 45000 | 2600 | 2440 | 3500 | 80 | 40000 | 45000 | 2600 | 2440 | 3500 | 80 |
| 28 | 48 | 66472 | F28T8/XL/SPP41/ECO | 40000 | 45000 | 2600 | 2440 | 4100 | 80 | 40000 | 45000 | 2600 | 2440 | 4100 | 80 |
| 28 | 48 | 66473 | F28T8/XL/SPP50/ECO | 40000 | 45000 | 2600 | 2440 | 5000 | 80 | 40000 | 45000 | 2600 | 2440 | 5000 | 80 |
| SPX Family | | | | | | | | | | | | | | | |
| 28 | 48 | 72863 | F28T8/XL/SPX30/ECO | 45000 | 50000 | 2675 | 2515 | 3000 | 85 | 45000 | 50000 | 2675 | 2515 | 3000 | 85 |
| 28 | 48 | 72864 | F28T8/XL/SPX35/ECO | 45000 | 50000 | 2675 | 2515 | 3500 | 85 | 45000 | 50000 | 2675 | 2515 | 3500 | 85 |
| 28 | 48 | 72866 | F28T8/XL/SPX41/ECO | 45000 | 50000 | 2675 | 2515 | 4100 | 82 | 45000 | 50000 | 2675 | 2515 | 4100 | 82 |
| 28 | 48 | 72867 | F28T8/XL/SPX50/ECO | 45000 | 50000 | 2675 | 2515 | 5000 | 80 | 45000 | 50000 | 2675 | 2515 | 5000 | 80 |
| 28 | 48 | 66346 | F28T8/XL/SPX65/ECO | 45000 | 50000 | 2600 | 2440 | 6500 | 80 | 45000 | 50000 | 2600 | 2440 | 6500 | 80 |
| 28 | 48 | 40737 | F28T8/835/LUMA | 45000 | 50000 | 2675 | 2515 | 3500 | 85 | 45000 | 50000 | 2675 | 2515 | 3500 | 85 |
| 28 | 48 | 40738 | F28T8/841/LUMA | 45000 | 50000 | 2675 | 2515 | 4100 | 82 | 45000 | 50000 | 2675 | 2515 | 4100 | 82 |
| 28 | 48 | 40741 | F28T8/850/LUMA | 45000 | 50000 | 2675 | 2515 | 5000 | 80 | 45000 | 50000 | 2675 | 2515 | 5000 | 80 |
| 4' T8 Ecolux® UltraMax® 28 Watt Super Long Life | | | | | | | | | | | | | | | |
| 28 | 48 | 93902 | F28T8/SXL/SPX35/ECO | 80000 | 84000 | 2600 | 2440 | 3500 | 82 | 80000 | 84000 | 2600 | 2440 | 3500 | 82 |
| 28 | 48 | 93903 | F28T8/SXL/SPX41/ECO | 80000 | 84000 | 2600 | 2440 | 4100 | 82 | 80000 | 84000 | 2600 | 2440 | 4100 | 82 |
| 28 | 48 | 93904 | F28T8/SXL/SPX50/ECO | 80000 | 84000 | 2600 | 2440 | 5000 | 80 | 80000 | 84000 | 2600 | 2440 | 5000 | 80 |

| Watts | Nominal Length (in) | Order Code | Description | Rated Life (3hr/Start) | Rated Life (12hr/Start) | Initial Lumens | Mean Lumens | Color Temp K | CRI | Rated Life (3hr/Start) | Rated Life (12hr/Start) | Initial Lumens | Mean Lumens | Color Temp K | CRI |
|--|---------------------|------------|-----------------------|------------------------|-------------------------|----------------|-------------|--------------|-----|------------------------|-------------------------|-----------------|-------------|--------------|-----|
| T8 Mod-U-Line® | | | | | | | | | | | | | | | |
| T8 1-5/8" Spacing Ecolux® | | | | | | | | | | | | | | | |
| 31 | 22.5 | 72117 | F31T8/SPX30/U/ECO | 24000 | | 2775 | 2440 | 3000 | 82 | 24000 | | 2775 | 2440 | 3000 | 82 |
| 31 | 22.5 | 72118 | F31T8/SPX35/U/ECO | 24000 | | 2775 | 2440 | 3500 | 82 | 24000 | | 2775 | 2440 | 3500 | 82 |
| 31 | 22.5 | 72119 | F31T8/SPX41/U/ECO | 24000 | | 2775 | 2440 | 4100 | 82 | 24000 | | 2775 | 2440 | 4100 | 82 |
| T8 1-5/8" 29W Ecolux® | | | | | | | | | | | | | | | |
| 29 | 22.5 | 62172 | F29T8/SPX30/U/ECO | 24000 | | 2500 | 2200 | 3000 | 82 | | | DELISTED | | | |
| 29 | 22.5 | 62173 | F29T8/SPX35/U/ECO | 24000 | | 2500 | 2200 | 3500 | 82 | | | DELISTED | | | |
| 29 | 22.5 | 62174 | F29T8/SPX41/U/ECO | 24000 | | 2500 | 2200 | 4100 | 82 | | | DELISTED | | | |
| T8 1-5/8" 26W Ecolux® | | | | | | | | | | | | | | | |
| 26 | 22.5 | 62169 | F26T8/SPX30/U/ECO | 24000 | | 2250 | 1980 | 3000 | 82 | | | DELISTED | | | |
| 26 | 22.5 | 62170 | F26T8/SPX35/U/ECO | 24000 | | 2250 | 1980 | 3500 | 82 | 24000 | | 2325 | 2045 | 3500 | 82 |
| 26 | 22.5 | 62171 | F26T8/SPX41/U/ECO | 24000 | | 2250 | 1980 | 4100 | 82 | 24000 | | 2325 | 2045 | 4100 | 82 |
| T8 6" Spacing | | | | | | | | | | | | | | | |
| 32 | 22.5 | 68920 | F32T8/SPX30/U6/2 | 20000 | | 2800 | 2630 | 3000 | 82 | 20000 | | 2800 | 2465 | 3000 | 82 |
| 32 | 22.5 | 68921 | F32T8/SPX35/U6/2 | 20000 | | 2800 | 2630 | 3500 | 82 | 20000 | | 2800 | 2465 | 3500 | 82 |
| 32 | 22.5 | 69839 | F32T8SPX35/U6UPC | 20000 | | 2800 | 2630 | 3500 | 82 | 20000 | | 2800 | 2465 | 3500 | 82 |
| 32 | 22.5 | 68922 | F32T8/SPX41/U6/2 | 20000 | | 2800 | 2630 | 4100 | 82 | 20000 | | 2800 | 2465 | 4100 | 82 |
| 32 | 22.5 | 68923 | F32T8/SPX50/U6/2 | 20000 | | 2660 | 2510 | 5000 | 82 | 20000 | | 2750 | 2475 | 5000 | 82 |
| T8 6" Spacing Ecolux® | | | | | | | | | | | | | | | |
| 32 | 22.5 | 28145 | F32T8/SP30/U6/ECO | 20000 | | 2700 | 2375 | 3000 | 78 | 20000 | | 2775 | 2440 | 3000 | 78 |
| 32 | 22.5 | 28149 | F32T8/SP35/U6/ECO | 20000 | | 2700 | 2375 | 3500 | 78 | 20000 | | 2775 | 2440 | 3500 | 78 |
| 32 | 22.5 | 28152 | F32T8/SP41/U6/ECO | 20000 | | 2700 | 2375 | 4100 | 78 | 20000 | | 2775 | 2440 | 4100 | 78 |
| 32 | 22.5 | 72111 | F32T8/SPX30/U6/ECO | 20000 | | 2800 | 2465 | 3000 | 82 | 20000 | | 2850 | 2505 | 3000 | 82 |
| 32 | 22.5 | 72112 | F32T8/SPX35/U6/ECO | 20000 | | 2800 | 2465 | 3500 | 82 | 20000 | | 2850 | 2505 | 3500 | 82 |
| 32 | 22.5 | 72113 | F32T8/SPX41/U6/ECO | 20000 | | 2800 | 2465 | 4100 | 82 | 20000 | | 2850 | 2505 | 4100 | 82 |
| T8 6" Spacing Ecolux® Watt-Miser® 30 Watt Lamp | | | | | | | | | | | | | | | |
| 30 | 22.5 | 72114 | F32T8/SPX30/U6/WM/ECO | 24000 | | 2800 | 2465 | 3000 | 82 | | | DELISTED | | | |
| 30 | 22.5 | 72115 | F32T8/SPX35/U6/WM/ECO | 24000 | | 2800 | 2465 | 3500 | 82 | | | DELISTED | | | |
| 30 | 22.5 | 72116 | F32T8/SPX41/U6/WM/ECO | 24000 | | 2800 | 2465 | 4100 | 82 | | | DELISTED | | | |
| T8 6" Spacing Ecolux® 28 Watt Lamp | | | | | | | | | | | | | | | |
| 28 | 23 | 67394 | F28T8/SPX30/U6/ECO | 20000 | | 2500 | 2200 | 3000 | 82 | 20000 | | 2500 | 2200 | 3000 | 82 |
| 28 | 23 | 67395 | F28T8/SPX35/U6/ECO | 20000 | | 2500 | 2200 | 3500 | 82 | 20000 | | 2500 | 2200 | 3500 | 82 |
| 28 | 23 | 67396 | F28T8/SPX41/U6/ECO | 20000 | | 2500 | 2200 | 4100 | 82 | 20000 | | 2500 | 2200 | 4100 | 82 |
| T12 Mod-U-Line® Watt-Miser® Energy Saving Lamps | | | | | | | | | | | | | | | |
| T12 3-5/8" Spacing Watt-Miser® | | | | | | | | | | | | | | | |
| 35 | 22.5 | 68050 | F35/CW/C/U3/WM | 14000 | | 1650 | 1400 | 4100 | 87 | | | | | | |
| 35 | 23 | 66854 | F35/CX41/U3/WM | 14000 | | 2300 | 2185 | 4100 | 87 | | | | | | |
| T12 6" Spacing Watt-Miser® | | | | | | | | | | | | | | | |
| 35 | 22.5 | 68051 | F35/CW/C/U6/WM | 14000 | | 1650 | 1400 | 4100 | 87 | | | | | | |
| 35 | 23 | 66855 | F35/CX41/U6/WM | 14000 | | 2300 | 2185 | 4100 | 87 | | | | | | |
| 35 | 23 | 66851 | F35/CX41/U6WMUPC | 14000 | | 2300 | 2185 | 4100 | 87 | | | | | | |

