




Replacement Parts

Lumination™ LED Luminaire
- LIS Series



Reference number	Description	Page Number
A	Drivers	2
B	Accessories & Starter Kits	3
C	LED Light Engine	4



Replacement LIS Drivers

PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
4200 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-50-C2-0580-XX	93062392
4200 lumen, Class2, 0-10V, 120-277V, 90CRI	PSU KIT, CASS2 50W 0-10V, 645MA	93027859
5200 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-50-C2-0710-XX	93062394
5200 lumen, Class2, 0-10V, 120-277V, 90CRI	PSU KIT, CLASS2 50W 0-10V, 815MA	93027861
6250 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-50-C2-0825-XX	93062393
6500 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-90-C2-1140-XX	93062395
6500 lumen, Class2, 0-10V, 120-277V, 90CRI	PSU KIT, CLASS2 90W 0-10V, 1290MA	93027863
10400 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-90-C2-1410-XX	93062626
10400 lumen, Class2, 0-10V, 120-277V, 90CRI	PSU KIT, CLASS2 90W 0-10V, 1630MA	93027864
8400 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-90-84-1140-XX	93085503
8400 lumen, Class2, 0-10V, 120-277V, 90CRI	RK-LXX-C-PS-90-84-1290-XX	93085504
12000 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-90-C2-1650-XX	93062627
6500 lumen, Class1, 0-10V, 120-277V, 80CRI	PSU KIT, CLASS1 100W 0-10V, 480MA	93027869
8500 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-15-C1-0630-XX	93062631
10500 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LUS-A-PS-10-C1-0825-XX	93057890
12000 lumen, Class1, 0-10V, 120-277V, 80CRI	PSU KIT, CLASS1 100W 0-10V, 480MA	93027869
13000 lumen, Class1, 0-10V, 120-277V, 80CRI	PSU KIT, CLASS1 100W 0-10V, 480MA	93027869
17000 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-15-C1-0630-XX	93062631
21000 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-10-C1-0790-XX	93062628
24000 lumen, Class1, 0-10V, 120-277V, 80CRI	PSU KIT, CLASS1 100W 0-10V, 480MA	93027869
4200 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LXX-C-PS-10-C1-0295-XX	93062629
5200 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LXX-C-PS-10-C1-0370-XX	93062630
8400 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LXX-C-PS-100-84-0295-XX-WHT-HE	93086530
10400 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LXX-C-PS-50-C1-0370-XX	93062633
4200 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-50-C2-0580-XX	93062392
4200 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CASS2 50W 0-10V, 645MA	93027859
5200 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-50-C2-0710-XX	93062394
5200 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CLASS2 50W 0-10V, 815MA	93027861
6250 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-50-C2-0825-XX	93062393
6500 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-90-C2-1140-XX	93062395
6500 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CLASS2 90W 0-10V, 1290MA	93027863
10400 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-90-C2-1410-XX	93062626
10400 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CLASS2 90W 0-10V, 1630MA	93027864

* Please contact technical support team



12000 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-90-C2-1650-XX	93062627
6500 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0475-XX-347	93062634
8500 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0630-XX-347	93062635
10500 lumen, Class1, 0-10V, 347V, 80CRI *	RK-LXX-C-PS-15-C1-0825-XX-347	93062636
12000 lumen, Class1, 0-10V, 347V, 80CRI *	RK-LXX-C-PS-15-C1-0960-XX-347	93062637
13000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0475-XX-347	93062634
17000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0630-XX-347	93062635
21000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-250-B1-0815-XX	93086155
24000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-250-B4-0955-XX	93086166
Multiple lumen, Emergency lighting PSU Kit EL	RK-LXX-C-PS-XX-X0-XXXX-XX-WHT-EL	93085505
Multiple lumen, Emergency lighting PSU Kit L2	RK-LXX-C-PS-XX-X0-XXXX-XX-WHT-E2	93086146

Replacement LIS Accessories

PRODCUT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
POWER FEED CANOPY (QTY 2)	KIT-MTG-PWR	93026987
LOWER MOUNTING KIT, 10 FT SUSPENSION CABLE (QTY 2)	KIT-MTG-LWR	93026985
UPPER MOUNTING KIT (QTY 2)	KIT-MTG-UPR	93026986
POWER FEED CANOPY (QTY 2)	KIT-MTG-PWR	93026987
SUSPENDED KITS, OPTION 1 - SET OF 10 FT MOUNTING CABLES	SUSPENDED KITS - OPTION 1	93035285
SUSPENDED KITS, OPTION 2 - SET OF 10 FT MOUNTING CABLES + POWER FEED CABLE (6.75 FT)	SUSPENDED KITS - OPTION 2	93035306
SUSPENDED KITS, OPTION 3 - SET OF 10 FT MOUNTING CABLES + POWER FEED CABLE (6.75 FT) + CANOPY KIT + 2 UPPER MOUNTING KITS	SUSPENDED KITS - OPTION 3	93035307
ARCHITECTURAL END CAP	ARCHITECTURAL END CAP	93039940
DECORATIVE END CAP (QTY 2)	KIT END CAP	211044

LIS Starter Kits

NOTE: TO ORDER REPLACEMENT END CAPS, ORDER CORRESPONDING STARTER KIT

PRODCUT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
Starter kit, 1 row, Red endcaps	RK-LIS-A-SK-XX-01-REDE-XX	93081609
Starter kit, 1 row, Red endcaps (QTY 10)	RK-LIS-A-SK-XX-10-REDE-XX	93081610
Starter kit, 1 row, Grey endcaps	RK-LIS-A-SK-XX-01-GREY-XX	93081607
Starter kit, 1 row, Grey endcaps (QTY 10)	RK-LIS-A-SK-XX-10-GREY-XX	93081608
Starter kit, 1 row, Black endcaps	RK-LIS-A-SK-XX-01-BLCK-XX	93081606
Starter kit, 1 row, Black endcaps (QTY 10)	RK-LIS-A-SK-XX-10-BLCK-XX	93081245
Starter kit, 1 row, white endcaps	IS STARTER KIT	93018007
Starter kit, 1 row, white endcaps (QTY 10)	IS STARTER KIT - 10 ROWS	93022791



Replacement LIS Light Engines

PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
4FT, 4200 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-42-8030-XX-WHTE	93059224
4FT, 4200 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-42-8035-XX-WHTE	93059238
4FT, 4200 lumen, 3500K, 90CRI	RK-LIS-C-LE-04-42-9035-XX-WHTE	93059216
4FT, 4200 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-42-8040-XX-WHTE	93059252
4FT, 4200 lumen, 4000K, 90CRI	RK-LIS-C-LE-04-42-9040-XX-WHTE	93059220
4FT, 4200 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-42-8050-XX-WHTE	93059266
4FT, 5200 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-52-8030-XX-WHTE	93059225
4FT, 5200 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-52-8035-XX-WHTE	93059239
4FT, 5200 lumen, 3500K, 90CRI	RK-LIS-C-LE-04-52-9035-XX-WHTE	93059217
4FT, 5200 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-52-8040-XX-WHTE	93059253
4FT, 5200 lumen, 4000K, 90CRI	RK-LIS-C-LE-04-52-9040-XX-WHTE	93059221
4FT, 5200 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-52-8050-XX-WHTE	93059267
4FT, 6250 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-62-8030-XX-WHTE	93059226
4FT, 6250 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-62-8035-XX-WHTE	93059240
4FT, 6250 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-62-8040-XX-WHTE	93059254
4FT, 6250 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-62-8050-XX-WHTE	93059268
4FT, 6500 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-65-8030-XX-WHTE	93059227
4FT, 6500 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-65-8035-XX-WHTE	93059241
4FT, 6500 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-65-8040-XX-WHTE	93059255
4FT, 6500 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-65-8050-XX-WHTE	93059269
4FT, 8500 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-85-8030-XX-WHTE	93059228
4FT, 8500 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-85-8035-XX-WHTE	93059242
4FT, 8500 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-85-8040-XX-WHTE	93059256
4FT, 8500 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-85-8050-XX-WHTE	93059270
4FT, 10500 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-A1-8030-XX-WHTE	93059229
4FT, 10500 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-A1-8035-XX-WHTE	93059243
4FT, 10500 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-A1-8040-XX-WHTE	93059257
4FT, 10500 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-A1-8050-XX-WHTE	93059271
4FT, 12000 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-A2-8030-XX-WHTE	93059230
4FT, 12000 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-A2-8035-XX-WHTE	93059244
4FT, 12000 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-A2-8040-XX-WHTE	93059258
4FT, 12000 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-A2-8050-XX-WHTE	93059272
8FT, 8400 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-84-8030-XX-WHTE	93059231



8FT, 8400 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-84-8035-XX-WHTE	93059245
8FT, 8400 lumen, 3500K, 90CRI	RK-LIS-C-LE-08-84-9035-XX-WHTE	93059218
8FT, 8400 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-84-8040-XX-WHTE	93059259
8FT, 8400 lumen, 4000K, 90CRI	RK-LIS-C-LE-08-84-9040-XX-WHTE	93059222
8FT, 8400 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-84-8050-XX-WHTE	93059273
8FT, 10400 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A0-8030-XX-WHTE	93059232
8FT, 10400 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A0-8035-XX-WHTE	93059246
8FT, 10400 lumen, 3500K, 90CRI	RK-LIS-C-LE-08-A0-9035-XX-WHTE	93059219
8FT, 10400 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A0-8040-XX-WHTE	93059260
8FT, 10400 lumen, 4000K, 90CRI	RK-LIS-C-LE-08-A0-9040-XX-WHTE	93059223
8FT, 10400 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A0-8050-XX-WHTE	93059274
8FT, 12000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A2-8030-XX-WHTE	93059233
8FT, 12000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A2-8035-XX-WHTE	93059247
8FT, 12000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A2-8040-XX-WHTE	93059261
8FT, 12000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A2-8050-XX-WHTE	93059275
8FT, 13000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A3-8030-XX-WHTE	93059234
8FT, 13000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A3-8035-XX-WHTE	93059248
8FT, 13000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A3-8040-XX-WHTE	93059262
8FT, 13000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A3-8050-XX-WHTE	93059276
8FT, 17000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A7-8030-XX-WHTE	93059235
8FT, 17000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A7-8035-XX-WHTE	93059249
8FT, 17000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A7-8040-XX-WHTE	93059263
8FT, 17000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A7-8050-XX-WHTE	93059277
8FT, 21000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-B1-8030-XX-WHTE	93059236
8FT, 21000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-B1-8035-XX-WHTE	93059250
8FT, 21000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-B1-8040-XX-WHTE	93059264
8FT, 21000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-B1-8050-XX-WHTE	93059278
8FT, 24000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-B4-8030-XX-WHTE	93059237
8FT, 24000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-B4-8035-XX-WHTE	93059251
8FT, 24000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-B4-8040-XX-WHTE	93059265
8FT, 24000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-B4-8050-XX-WHTE	93059279
4FT, 4200 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8030-XX-WHTE	93059224
4FT, 4200 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8035-XX-WHTE	93059238
4FT, 4200 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-04-42-9035-XX-WHTE	93059216
4FT, 4200 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8040-XX-WHTE	93059252
4FT, 4200 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-04-42-9040-XX-WHTE	93059220



4FT, 4200 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8050-XX-WHTE	93059266
4FT, 5200 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8030-XX-WHTE	93059225
4FT, 5200 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8035-XX-WHTE	93059239
4FT, 5200 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-04-52-9035-XX-WHTE	93059217
4FT, 5200 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8040-XX-WHTE	93059253
4FT, 5200 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-04-52-9040-XX-WHTE	93059221
4FT, 5200 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8050-XX-WHTE	93059267
4FT, 6500 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8030-XX-WHTE-EL	93059280
4FT, 6500 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8035-XX-WHTE-EL	93059284
4FT, 6500 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8040-XX-WHTE-EL	93059288
4FT, 6500 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8050-XX-WHTE-EL	93059292
4FT, 8500 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8030-XX-WHTE-EL	93059281
4FT, 8500 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8035-XX-WHTE-EL	93059285
4FT, 8500 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8040-XX-WHTE-EL	93059289
4FT, 8500 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8050-XX-WHTE-EL	93059293
8FT, 8400 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8030-XX-WHTE	93059231
8FT, 8400 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8035-XX-WHTE	93059245
8FT, 8400 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-08-84-9035-XX-WHTE	93059218
8FT, 8400 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8040-XX-WHTE	93059259
8FT, 8400 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-08-84-9040-XX-WHTE	93059222
8FT, 8400 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8050-XX-WHTE	93059273
8FT, 10400 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8030-XX-WHTE	93059232
8FT, 10400 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8035-XX-WHTE	93059246
8FT, 10400 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-08-A0-9035-XX-WHTE	93059219
8FT, 10400 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8040-XX-WHTE	93059260
8FT, 10400 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-08-A0-9040-XX-WHTE	93059223
8FT, 10400 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8050-XX-WHTE	93059274
8FT, 13000 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8030-XX-WHTE-EL	93059282
8FT, 13000 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8035-XX-WHTE-EL	93059286
8FT, 13000 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8040-XX-WHTE-EL	93059290
8FT, 13000 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8050-XX-WHTE-EL	93059294
8FT, 17000 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8030-XX-WHTE-EL	93059283
8FT, 17000 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8035-XX-WHTE-EL	93059287
8FT, 17000 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8040-XX-WHTE-EL	93059291
8FT, 17000 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059295
4FT, 4200 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059296



4FT, 4200 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059300
4FT, 4200 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059304
4FT, 4200 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059308
4FT, 5200 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059297
4FT, 5200 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059301
4FT, 5200 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059305
4FT, 5200 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059309
8FT, 8400 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059298
8FT, 8400 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059302
8FT, 8400 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059306
8FT, 8400 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059310
8FT, 10400 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059299
8FT, 10400 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059303
8FT, 10400 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059307
8FT, 10400 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059311
4FT, 4200 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062580
4FT, 4200 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062584
4FT, 4200 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062698
4FT, 4200 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062702
4FT, 5200 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062581
4FT, 5200 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062585
4FT, 5200 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062699
4FT, 5200 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062703
8FT, 8400 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062582
8FT, 8400 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062696
8FT, 8400 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062700
8FT, 8400 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062704
8FT, 10400 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062583
8FT, 10400 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062697
8FT, 10400 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062701
8FT, 10400 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062705

www.currentbyge.com

current
powered by GE

All trademarks are the property of their respective owners. Information provided is subject to change without notice. All values are design for typical values when measured under laboratory conditions. Current, powered by GE is a business of the General Electric Company.
©2019 GE. IND512 (Rev. 02-14-2019)