

Title 20 LED SKU List



Timing

Effective January 1, 2018 the California Energy Commission is mandating new efficiency requirements for LED replacements lamps that are manufactured on or after January 1, 2018. This is a California regulation only and does not apply to any other state.

Products Included and Basic Requirements

General Service, Directional, Recessed Can Retrofit, and Decorative LED Lamps with E12, E17, E26 and GU-24 bases.

LED lamps manufactured on or after January 1, 2018, shall meet the following performance criteria:

- Average CRI of 82 or greater
- Power factor of 0.7 or greater
- Rated life of 10,000 hours or more
- Light distribution:
 - o Omnidirectional lamps (A-Lamps) meet ENERGY STAR® Lamps v2.0 requirements
 - o Decorative lamps (B, BA, C, CA, f, or G) meet ENERGY STAR® Lamps v1.1 requirements
- Minimum efficacy of 68 lm/W

Small-Diameter Directional Lamps (MR16 with Pin-bases)

Beginning January 1, 2018, regulated lamps shall meet the following criteria:

- Rated life of 25,000 hours or greater
- Efficacy of at least 80lm/W

Set up your transition plan today.
For more information contact your GE sales representative.
Full California Title 20 Requirements can be found at
<http://www.energy.ca.gov/title20/>

Title 20 LED Lamps



Set up your transition plan today. For more information contact your GE sales representative. Full California Title 20

Requirements can be found at <http://www.energy.ca.gov/title20/>

Bulb Shape	Base Type	Watts	Order Code	Description	UOS	Case Qty**	Lumens Initial	Initial Color Temp	CRI	Wattage Replacement	*Rated Life L70 (Hrs)	Dimmable	ENERGY STAR® Status
G16.5	E12	4.5	45695	LED5DGC-GCSW9C2	2	6	350	2700	90	40	15,000	Yes	
G16.5	E12	4.5	45710	LED5DGC-GCDL9C2	2	6	350	5000	90	40	15,000	Yes	
G16.5	E12	4.5	45711	LED5DGC-GWSW9C2	2	6	350	2700	90	40	15,000	Yes	
G16.5	E12	4.5	45715	LED5DGC-GWDL9C2	2	6	350	5000	90	40	15,000	Yes	
G25	E26	4.5	43259	LED5DG25-GCSW9C3	3	6	350	2700	90	40	15,000	Yes	
G25	E26	4.5	43266	LED5DG25-GCDL9C3	3	6	350	5000	90	40	15,000	Yes	
G25	E26	4.5	43269	LED5DG25-GWSW9C3	3	6	350	2700	90	40	15,000	Yes	
G25	E26	4.5	43281	LED5DG25-GWDL9C3	3	6	350	5000	90	40	15,000	Yes	
G25	E26	5.5	43306	LED6DG25-GCSW9C3	3	6	500	2700	90	60	15,000	Yes	
G25	E26	5.5	43310	LED6DG25-GCDL9C3	3	6	500	5000	90	60	15,000	Yes	
G25	E26	5.5	43316	LED6DG25-GWSW9C3	3	6	500	2700	90	60	15,000	Yes	
G25	E26	5.5	43317	LED6DG25-GWDL9C3	3	6	500	5000	90	60	15,000	Yes	
G25	E26	4.5	36850	LED5DG25-GCSW9C	1	6	350	2700	90	40	15,000	Yes	
G25	E26	4.5	36948	LED5DG25-GCDL9C	1	6	350	5000	90	40	15,000	Yes	
G25	E26	4.5	36852	LED5DG25-GWSW9C	1	6	350	2700	90	40	15,000	Yes	
G25	E26	4.5	36955	LED5DG25-GWDL9C	1	6	350	5000	90	40	15,000	Yes	
G25	E26	5.5	36855	LED6DG25-GCSW9C	1	6	500	2700	90	60	15,000	Yes	
G25	E26	5.5	36857	LED6DG25-GCDL9C	1	6	500	5000	90	60	15,000	Yes	
G25	E26	5.5	36862	LED6DG25-GWSW9C	1	6	500	2700	90	60	15,000	Yes	
G25	E26	5.5	36891	LED6DG25-GWDL9C	1	6	500	5000	90	60	15,000	Yes	
CAM	E26	2.5	48209	LED3DCAM-GWSW9C2	2	6	200	2700	90	25	15000	Yes	
CAM	E26	4.0	48232	LED4DCAM-GWSW9C2	2	6	300	2700	90	40	15000	Yes	
CAM	E26	4.0	48233	LED4DCAM-GWDL9C2	2	6	300	5000	90	40	15000	Yes	
CAM	E26	4.0	36903	LED4DCAM-GCSW9C2	2	6	300	2700	90	40	15,000	Yes	
CAM	E26	4.0	36978	LED4DCAM-GCDL9C2	2	6	300	5000	90	40	15,000	Yes	
CAM	E26	4.0	48262	LED4DCAM-GWDL9C4	4	6	300	5000	90	40	15000	Yes	
CAM	E26	4.0	48263	LED4DCAM-GWSW9C4	4	6	300	2700	90	40	15000	Yes	
CAM	E26	5.5	48264	LED6DCAM-GWDL9C4	4	6	500	5000	90	60	15000	Yes	
CAM	E26	5.5	48265	LED6DCAM-GWSW9C4	4	6	500	2700	90	60	15000	Yes	
CAM	E26	2.5	36969	LED3DCAM-GCSW9C2	2	6	200	2700	90	25	15,000	Yes	
CAM	E26	2.5	36973	LED3DCAM-GCDL9C2	2	6	200	5000	90	25	15,000	Yes	
CAM	E26	2.5	45576	LED3DCAM-GCSW9C4	4	6	200	2700	90	25	15,000	Yes	
CAM	E26	2.5	45577	LED3DCAM-GCDL9C4	4	6	200	5000	90	25	15,000	Yes	
CAM	E26	4.0	45660	LED4DCAM-GCSW9C4	4	6	300	2700	90	40	15,000	Yes	
CAM	E26	4.0	45661	LED4DCAM-GCDL9C4	4	6	300	5000	90	40	15,000	Yes	
CAM	E26	5.5	36942	LED6DCAM-GCSW9C2	2	6	500	2700	90	60	15,000	Yes	
CAM	E26	5.5	36848	LED6DCAM-GCDL9C2	2	6	500	5000	90	60	15,000	Yes	
CAM	E26	5.5	43255	LED6DCAM-GCSW9C4	4	6	500	2700	90	60	15,000	Yes	
CAM	E26	5.5	43256	LED6DCAM-GCDL9C4	4	6	500	5000	90	60	15,000	Yes	
CAC	E12	2.5	48234	LED3DCAC-GWSW9C4	4	6	200	2700	90	25	15000	Yes	
CAC	E12	4.0	48243	LED4DCAC-GWDL9C4	4	6	300	5000	90	40	15000	Yes	



Title 20 LED Lamps

Bulb Shape	Base Type	Watts	Order Code	Description	UOS	Case Qty**	Lumens Initial	Initial Color Temp	CRI	Wattage Replacement	*Rated Life L70 (Hrs)	Dimmable	ENERGY STAR® Status
CAC	E12	2.5	36968	LED3DCAC-GCDL9C2	2	6	200	5000	90	25	15,000	Yes	
CAC	E26	4.0	36893	LED4DCAC-GCSW9C2	2	6	300	2700	90	40	15,000	Yes	
CAC	E26	4.0	36896	LED4DCAC-GCDL9C2	2	6	300	5000	90	40	15,000	Yes	
CAC	E12	5.5	36846	LED6DCAC-GCSW9C2	2	6	500	2700	90	60	15,000	Yes	
CAC	E12	5.5	36847	LED6DCAC-GCDL9C2	2	6	500	5000	90	60	15,000	Yes	
CAC	E12	5.5	48249	LED6DCAC-GWDL9C4	4	6	500	5000	90	60	15,000	Yes	
CAC	E12	4.0	36985	LED4DCAC-GWSW9C4	4	6	300	2700	90	40	15,000	Yes	
CAC	E12	5.5	36986	LED6DCAC-GWSW9C4	4	6	500	2700	90	60	15,000	Yes	
CAC	E12	4.0	36987	LED4DCAC-GWSW9C2	2	6	300	2700	90	40	15,000	Yes	
CAC	E12	5.5	36988	LED6DCAC-GWSW9C2	2	6	500	2700	90	60	15,000	Yes	
CAC	E12	2.5	45555	LED3DCAC-GCSW9C4	4	6	200	2700	90	25	15,000	Yes	
CAC	E12	2.5	45567	LED3DCAC-GCDL9C4	4	6	200	5000	90	25	15,000	Yes	
CAC	E12	4.0	45640	LED4DCAC-GCSW9C4	4	6	300	2700	90	40	15,000	Yes	
CAC	E12	5.5	43227	LED6DCAC-GCSW9C4	4	6	500	2700	90	60	15,000	Yes	
CAC	E12	4.0	45653	LED4DCAC-GCDL9C4	4	6	300	5000	90	40	15,000	Yes	
CAC	E12	5.5	43245	LED6DCAC-GCDL9C4	4	6	500	5000	90	60	15,000	Yes	
CAC	E12	2.5	36967	LED3DCAC-GCSW9C2	2	6	200	2700	90	25	15,000	Yes	
A15	E26	5.5	36980	LED6DA15-GCSW9C2	2	6	500	2700	90	60	15,000	Yes	
A15	E26	5.5	36981	LED6DA15-GCDL9C2	2	6	500	5000	90	60	15,000	Yes	
A15	E26	5.5	36982	LED6DA15-GWSW9C2	2	6	500	2700	90	60	15,000	Yes	
A15	E26	5.5	36984	LED6DA15-GWDL9C2	2	6	500	5000	90	60	15,000	Yes	
A15	E26	4.0	45672	LED4DA15-GCSW9C2	2	6	300	2700	90	40	15,000	Yes	
A15	E26	4.0	45676	LED4DA15-GCDL9C2	2	6	300	5000	90	40	15,000	Yes	
A15	E26	4.0	37751	LED4DA15-GWSW9C2	2	6	300	2700	90	40	15,000	Yes	
A15	E26	4.0	37760	LED4DA15-GWDL9C2	2	6	300	5000	90	40	15,000	Yes	
A19	E26	6	42975	LED6DASW9C-4PK	4	6	450	2700	90	40	15,000	Yes	★
A19	E26	6	42976	LED6DADL9C-4PK	4	6	450	5000	90	40	15,000	Yes	★
A19	E26	10.5	42977	LED10DASW9C-4PK	4	6	800	2700	90	60	15,000	Yes	★
A19	E26	10.5	42978	LED10DADL9C-4PK	4	6	800	5000	90	60	15,000	Yes	★
A19	E26	5.5	36990	LED6ASW9CP-4P	4	6	380	2700	90	40	10,000	No	
A19	E26	5.5	36992	LED6ADL9CP-4P	4	6	400	5000	90	40	10,000	No	
A19	E26	10	36993	LED10ASW9CP-4P	4	6	750	2700	90	60	10,000	No	
A19	E26	10	37004	LED10ADL9CP-4P	4	6	750	5000	90	60	10,000	No	
A19	E26	5.5	37033	LED6ASW9CP-8P	8	6	380	2700	90	40	10,000	No	
A19	E26	5.5	37035	LED6ADL9CP-8P	8	6	380	5000	90	40	10,000	No	
A19	E26	10	37043	LED10ASW9CP-8P	8	6	750	2700	90	60	10,000	No	
A19	E26	10	37048	LED10ADL9CP-8P	8	6	750	5000	90	60	10,000	No	
A19	E26	10.5	46183	LED10DASW9CG24-1	1	4	800	2700	90	60	15,000	Yes	★
A19	E26	10.5	46184	LED10DADL9CG24-1	1	4	800	5000	90	60	15,000	Yes	★
A19	E26	6.0	36833	LED6DASW9C-2PK	2	6	450	2700	90	40	15,000	Yes	
A19	E26	6.0	36834	LED6DADL9C-2PK	2	6	450	5000	90	40	15,000	Yes	
A19	E26	10.5	36835	LED10DASW9C-2PK	2	6	800	2700	90	60	15,000	Yes	
A19	E26	10.5	36845	LED10DADL9C-2PK	2	6	800	5000	90	60	15,000	Yes	
A21	E26	16	46226	LED30/100SW9C	1	3	1,500	2700	90	30/100	15,000	No	★
A21	E26	16	46228	LED30/100DL9C	1	3	1,500	5000	90	30/100	15,000	No	★
A21	E26	13	42979	LED13DASW9C-2PK	2	6	1,100	2700	90	75	15,000	Yes	★
A21	E26	13	42980	LED13DADL9C-2PK	2	6	1,100	5000	90	75	15,000	Yes	★
A21	E26	17	44148	LED17DASW9C-2PK	2	6	1,600	2700	90	100	15,000	Yes	★



Title 20 LED Lamps

Bulb Shape	Base Type	Watts	Order Code	Description	UOS	Case Qty**	Lumens Initial	Initial Color Temp	CRI	Wattage Replacement	*Rated Life L70 (Hrs)	Dimmable	ENERGY STAR® Status
A21	E26	17	44149	LED17DADL9C-2PK	2	6	1,600	5000	90	100	15,000	Yes	★
A21	E26	13	37015	LED13ASW9CP-2P	2	6	1,050	2700	90	75	10,000	No	
A21	E26	13	37019	LED13ADL9CP-2P	2	6	1,050	5000	90	75	10,000	No	
A21	E26	16	37025	LED16ASW9CP-2P	2	6	1,490	2700	90	100	10,000	No	
A21	E26	16	37027	LED16ADL9CP-2P	2	6	1,490	5000	90	100	10,000	No	
MR16	GU5.3	6.5	75155	LED6.5DMR16W82715	1	6	500	2700	80	50W	25,000	Yes	★
MR16	GU5.3	6.5	75153	LED6.5DMR16W83015	1	6	520	3000	80	50W	25,000	Yes	★
MR16	GU5.3	6.5	75158	LED6.5DMR16W84015	1	6	550	4000	80	50W	25,000	Yes	★
MR16	GU5.3	6.5	93226	LED6.5DMR16W82725	1	6	500	2700	80	50W	25,000	Yes	★
MR16	GU5.3	6.5	93222	LED6.5DMR16W83025	1	6	520	3000	80	50W	25,000	Yes	★
MR16	GU5.3	6.5	93228	LED6.5DMR16W84025	1	6	550	4000	82	50W	25,000	Yes	★
MR16	GU5.3	6.5	93227	LED6.5DMR16W82735	1	6	500	2700	80	50W	25,000	Yes	★
MR16	GU5.3	6.5	93223	LED6.5DMR16W83035	1	6	520	3000	80	50W	25,000	Yes	★
MR16	GU5.3	6.5	93229	LED6.5DMR16W84035	1	6	550	4000	80	50W	25,000	Yes	★
MR16	GU5.3	6	20165	LED6DMR16-32725	1	6	500	2700	80	50W	25,000	Yes	★
MR16	GU5.3	6	20168	LED6DMR16-32735	1	6	500	2700	80	50W	25,000	Yes	★
MR16	GU5.3	6	20156	LED6DMR16-38325	1	6	500	3000	81	50W	25,000	Yes	★
MR16	GU5.3	6	20157	LED6DMR16-38335	1	6	500	3000	81	50W	25,000	Yes	★
MR16	GU5.3	6.5	37059	LED6.5DMR16W-C-1	1	6	520	3000	82	50	25,000	Yes	
R14	E26	4.0	47856	LED4DR14E9SW-1P	1	6	250	2700	90	25	15000	Yes	
R14	E26	4.0	48120	LED4DR14E9DL-1P	1	6	250	5000	90	25	15000	Yes	
R16	E26	6.0	48138	LED6DR16E9SW-1P	1	6	400	2700	90	40	15000	Yes	
R16	E26	6.0	48179	LED6DR16E9DL-1P	1	6	400	5000	90	40	15000	Yes	
R20	E26	5.0	45545	LED5DR209CSW	1	6	450	2700	92	45	15,000	Yes	
R20	E26	5.0	45546	LED5DR209CDL	1	6	450	5000	92	45	15,000	Yes	
R30	E26	8.0	48193	LED8DBR309CSB-2P	2	6	700	2700	90	65	10000	Yes	
R30	E26	8.0	48197	LED8DBR309CDB-2P	2	6	700	5000	90	65	10000	Yes	
R30	E26	8.0	48198	LED8DBR309CSB-1P	1	6	700	2700	90	65	10000	Yes	
R30	E26	8.0	48206	LED8DBR309CDB-1P	1	6	700	5000	90	65	10000	Yes	
BR30	E26	8.0	43073	LED8DBR309CSW4P	4	6	700	2700	92	65	15,000	Yes	
BR30	E26	8.0	43074	LED8DBR309CDL4P	4	6	700	5000	92	65	15,000	Yes	
BR30	E26	8.0	45177	LED8DBR309CSW2P	2	6	700	2700	92	65	15,000	Yes	
BR30	E26	8.0	45195	LED8DBR309CDL2P	2	6	700	5000	92	65	15,000	Yes	
BR30	E26	8.0	36904	LED8DBR309CSW-1	1	6	700	2700	92	65	15,000	Yes	
BR30	E26	8.0	36908	LED8DBR309CDL-1	1	6	700	5000	92	65	15,000	Yes	
BR40	E26	11.0	43058	LED11DBR409CSW	1	6	950	2700	90	65	15,000	Yes	
BR40	E26	11.0	46329	LED11DBR409CDL	1	6	950	5000	90	65	15,000	Yes	
PAR20	E26	7.0	45441	LED7DP209CSW-1P	1	6	500	2700	92	50	15,000	Yes	
PAR20	E26	7.0	45499	LED7DP209CDL-1P	1	6	500	5000	92	50	15,000	Yes	
PAR30	E26	12	84392	LED12DP30RW92725	1	6	850	2700	90	75W	25,000	Yes	★
PAR30	E26	12	84395	LED12DP30RW92740	1	6	850	2700	90	75W	25,000	Yes	★
PAR30	E26	12	84374	LED12DP30RW93015	1	6	860	3000	90	75W	25,000	Yes	★
PAR30	E26	12	84379	LED12DP30RW93025	1	6	900	3000	90	75W	25,000	Yes	★

Title 20 LED Lamps

Bulb Shape	Base Type	Watts	Order Code	Description	UOS	Case Qty**	Lumens Initial	Initial Color Temp	CRI	Wattage Replacement	*Rated Life L70 (Hrs)	Dimmable	ENERGY STAR® Status
PAR30	E26	12	84380	LED12DP30RW93040	1	6	900	3000	90	75W	25,000	Yes	★
PAR30	E26	12.0	43095	LED12DP309CDL2P	2	6	900	5000	92	75	15,000	Yes	
PAR30	E26	12.0	36920	LED12DP309CSW-1	1	6	900	2700	92	75	15,000	Yes	
PAR30	E26	12.0	36921	LED12DP309CDL-1	1	6	900	5000	92	75	15,000	Yes	
PAR30L	E26	12	84407	LED12DP3LRW92740	1	6	850	2700	90	75W	25,000	Yes	★
PAR30L	E26	12	84399	LED12DP3LRW93025	1	6	900	3000	90	75W	25,000	Yes	★
PAR30L	E26	12	84400	LED12DP3LRW93040	1	6	900	3000	90	75W	25,000	Yes	★
PAR30L	E26	18	75065	LED18P30LW93015	1	6	1400	3000	90	75W	25,000	-	★
PAR30L	E26	18	75078	LED18P30LW93025	1	6	1400	3000	90	75W	25,000	-	★
PAR30L	E26	12.0	43096	LED12DP3L9CSW2P	2	6	900	2700	92	75	15,000	Yes	
PAR30L	E26	12.0	36925	LED12DP3L9CSW-1	1	6	1,050	2700	92	75	15,000	Yes	
PAR30L	E26	12.0	43098	LED12DP3L9CDL2P	2	6	900	5000	92	75	15,000	Yes	
PAR30L	E26	12.0	36926	LED12DP3L9CDL-1	1	6	1,050	5000	92	75	15,000	Yes	
PAR38	E26	16.0	43076	LED16DP389CWW-2P	2	6	1,300	2700	92	120	15,000	Yes	
PAR38	E26	16.0	43093	LED16DP389CDL-2P	2	6	1,300	5000	92	120	15,000	Yes	
PAR38	E26	18	92923	LED18D38W3927/25	1	6	1250	2700	92	100W	25,000	Yes	★
PAR38	E26	18	92926	LED18D38W3927/40	1	6	1250	2700	92	120W	25,000	Yes	★
PAR38	E26	18	92927	LED18D38W3930/15	1	6	1350	3000	92	75W	25,000	Yes	★
PAR38	E26	18	92933	LED18D38W3930/25	1	6	1350	3000	92	100W	25,000	Yes	★
PAR38	E26	18	92934	LED18D38W3930/40	1	6	1350	3000	92	120W	25,000	Yes	★
PAR38	E26	15.0	45249	LED15DP389CWW2P	2	6	1,200	3000	92	90	15,000	Yes	
PAR38	E26	15.0	45272	LED15DP389CDL2P	2	6	1,200	5000	92	90	15,000	Yes	
PAR38	E26	16.0	36909	LED16DP389CWW-1	1	6	1,300	2700	92	120	15,000	Yes	
PAR38	E26	16.0	36913	LED16DP389CDL-1	1	6	1,300	5000	92	120	15,000	Yes	
PAR38	E26	15.0	36930	LED15DP389CWW-1	1	6	1,200	3000	92	90	15,000	Yes	
PAR38	E26	15.0	36933	LED15DP389CDL-1	1	6	1,200	5000	92	90	15,000	Yes	
PAR38	E26	15.0	48266	LED15DP389CWWB-1	1	6	1,200	3000	90	90	10000	Yes	
PAR38	E26	15.0	48267	LED15DP389CWWB-2	2	6	1,200	3000	90	90	10000	Yes	
RS Can	E26	9.0	47852	LED9DRS69CSW-2P	2	4	750	2700	90	65	15000	Yes	
RS Can	E26	9.0	47853	LED9DRS69CDL-2P	2	4	750	5000	90	65	15000	Yes	



<http://products.currentbyge.com>.

GE and the GE Monogram are trademarks of the General Electric Company. All other trademarks are the property of their respective owners. Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions. GE Lighting and GE Lighting Solutions, LLC are businesses of the General Electric Company. © 2018 GE.

