

# SITELIGHTER ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT.  
ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.



LEGEND: ////////////// = Accessory can be used.

INDEX	PRODUCT								
	ORDERING NUMBER	Criterion	Decashield 1000	Decashield 400	Decashield 175	Dimension 1000	Dimension	Decasphere	Thinscape
<b>EXTERNAL LIGHT SHIELD</b>									
ELS-CHMX	////////								
ELS-CVMX	////////								
ELS-CVLX	////////								
ELS-DMA		////////			////////	////////			
ELS-DS			////////						
ELS-SP					////////				
HSS-TSP									////////
SSS-TSP									////////
<b>EXTERNAL SLIPFITTER</b>									
ESFDB-CHMX	////////								
ESF2BL		////////	////////						
ESF1BL		////////	////////		////////	////////			
ESF2DB		////////	////////		////////	////////			
ESF1DB		////////	////////		////////	////////			
<b>EXTERNAL VANDAL SHIELD</b>									
LVS-CVMX	////////								
LVS-CHMX	////////								
<b>INTERNAL SHIELD</b>									
ILS-CVLX	////////								
<b>KNUCKLE FLAT SURFACE ADAPTER</b>									
KFSABL-DS		////////	////////		////////	////////			
KSFADB-DS		////////	////////		////////	////////			
<b>KNUCKLE POLE TOP ADAPTER</b>									
KPTABL-DS		////////	////////		////////	////////			
KPTADB-DS		////////	////////		////////	////////			
<b>LINE SURGE PROTECTOR, EXPULSION TYPE</b>									
35-411749R01	////////				////////	////////			
<b>MOUNTING BRACKET (For PE)</b>									
MB-PECTL	////////	////////	////////	////////	////////	////////	////////	////////	////////
<b>PHOTOELECTRIC CONTROL</b>									
PEC0TL	////////	////////	////////	////////	////////	////////	////////	////////	////////
PEC1TL	////////	////////	////////	////////	////////	////////	////////	////////	////////
PEC5TL	////////	////////	////////	////////	////////	////////	////////	////////	////////
<b>POLE TOP ADAPTER (For PE Receptacle)</b>									
PTA-PECTL	////////	////////	////////	////////	////////	////////	////////	////////	////////
<b>POLE TOP TENON ADAPTER-ROUND</b>									
PTTA-R-SGL	////////	////////	////////			////////	////////		
PTTA-R-D90	////////	////////	////////			////////	////////		
PTTA-R-D180	////////	////////	////////			////////	////////		
PTTA-R-T90	////////	////////	////////			////////	////////		
PTTA-R-T120	////////	////////	////////			////////	////////		
PTTA-R-Q90	////////	////////	////////			////////	////////		


NOTE: 1 = Not DMS; 4 = SPMM only; add SPM to end of Ordering Number; 7 = SPMM only

## EXTERNAL LIGHT SHIELD

- **ELS-DMA**  
Cannot use with **LVS**, Polycarbonate vandal shield. For use with Dimension (except DMS) Decashield 1000 (DSA) Dimension 1000 (DKA)
- **ELS-DS**  
Cannot use with **LVS**, Polycarbonate vandal shield
- **ELS-SP**  
Cannot use with **LVS**, Polycarbonate vandal shield

LEGEND: ////////////// = Accessory can be used.

INDEX	PRODUCT								
	ORDERING NUMBER	Criterion	Decashield 1000	Decashield 400	Decashield 175	Dimension 1000	Dimension	Decasphere	Thinscape
<b>POLE TOP TENON ADAPTER-SQUARE</b>									
PTTASS000DKBZ	////////	////////	////////	////////	4	////////	////////		
PTTASD090DKBZ	////////	////////	////////	////////	4	////////	////////		
PTTASD180DKBZ	////////	////////	////////	////////	4	////////	////////		
PTTAST090DKBZ	////////	////////	////////	////////	4	////////	////////		
PTTASQ090DKBZ	////////	////////	////////	////////	4	////////	////////		
<b>POLYCARBONATE VANDAL SHIELD</b>									
LVS-DMA		////////				////////	////////		
LVS-DMA001						1			
LVS-DS			////////						
LVS-SP					////////				
<b>ROUND POLE ADAPTER</b>									
RPA**-DC								////////	
RPA**-DS	////////	////////	////////			////////	////////		
RPA**-SP					7				
<b>SHORTING CAP</b>									
SCCL-PECTL	////////	////////	////////	////////	////////	////////	////////	////////	////////
<b>TOP TENON - ROUND AND SQUARE POLES</b> (For Flat Top Luminaires add "F" to Ordering Number)									
D4TA**-R-SGL								////////	
D4TA**-R-D90								////////	
D4TA**-R-D180								////////	
D4TA**-R-T90								////////	
D4TA**-R-Q90								////////	
<b>WALL MOUNTING PLATE</b>									
WMPBL-DS	////////	////////	////////			////////	////////	////////	////////
WMPDB-DS	////////	////////	////////			////////	////////	////////	////////
WMPDB-SP					7				




ELS-DS

# SITELIGHTER ACCESSORIES


REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT.  
ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.

## EXTERNAL LIGHT SHIELD (Continued)


- ELS-CHMXDKBZ
- ELS-CVMXDKBZ
- ELS-CVLXDKBZ



ELS-CHMXDKBZ



ELS-CVMXDKBZ




ELS-CVLXDKBZ

Shields are painted dark bronze (other colors available to match fixture).

## EXTERNAL SLIPFITTER


Select "R" option (Decashield 1000 and Dimension luminaires) when choosing ordering number for luminaire

- **ESF2BL**  
Black for 2-inch (51mm) (2.375-inch [60mm] maximum OD) pipe
- **ESF1BL**  
Black for 1 1/4-inch (32mm) (1.66-inch [42mm] maximum OD) pipe
- **ESF2DB**  
Dark Bronze for 2-inch (51mm) (2.375-inch [60mm] maximum OD) pipe
- **ESF1DB**  
Dark Bronze for 1 1/4-inch (32mm) (1.66-inch [42mm] maximum OD) pipe
- **ESFDB -CHMX**  
Dark Bronze for 2-inch (51mm) (2.375-inch [60mm] maximum OD) pipe




## EXTERNAL VANDAL SHIELD

- LVS-CVMX
- LVS-CHMX




LVS-CVMX



LVS-CHMX

## INTERNAL SHIELD

- ILS-CVLX
- ILSFWT-CHMX  
(For Forward Throw Reflector)



ILS-CVLX

# SITELIGHTER ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT.  
ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.




## KNUCKLE FLAT SURFACE ADAPTER

Select "No Mounting Arm" option for Decashield 400, Decashield 1000, Dimension and Dimension 1000 luminaires when choosing ordering number for luminaire.

- **KFSABL-DS**  
Black
- **KFSADB-DS**  
Dark Bronze

NOTE: For Criterion External Slipfitter contact factory.




KNUCKLE FLAT SURFACE ADAPTER  
UTILIZES SAME BOLT PATTERN AS  
STANDARD MOUNTING ARM

**KFSFA**

## KNUCKLE POLE TOP ADAPTER

Select "R" option (Decashield 400 luminaire) or "R" mounting (Decashield 1000 and Dimension luminaires) when choosing ordering number for luminaire.


- **KPTABL-DS**  
Black
- **KPTADB-DS**  
Dark Bronze



**KPTA**

## LINE SURGE PROTECTOR, EXPULSION TYPE

- **35-411749R01**  
Can be added to many fixture terminal boards.  
(Terminal Board not included.)




**35-411749R01**

## MOUNTING BRACKET (For PE)

- **MB-PECTL**  
With locking-type receptacle for use with photoelectric control  
(Remove bracket to use with conduit.)

**MB-PECTL**




# SITELIGHTER ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT.  
ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.



## PHOTOELECTRIC CONTROL


- **PEC0TL**  
120, 208, 240, 277, Multivolt—Turn and Lock
- **PEC1TL**  
120 volt—Turn and Lock
- **PEC5TL**  
480 volt—Turn and Lock
- **PECDTL**  
250 - 400 volt—Turn and Lock




PEC

## POLE TOP ADAPTER (For PE Receptacle)

- **PTA-PECTL**



PTA-PECTL




## POLE TOP TENON ADAPTER—ROUND

Not available for SPM-175 luminaires.

- **PTTARS000DKBZ**  
Dark Bronze—Single luminaire
- **PTTARD090DKBZ**  
Dark Bronze—Double at 90°
- **PTTARD180DKBZ**  
Dark Bronze—Double at 180°
- **PTTART090DKBZ**  
Dark Bronze—Triple at 90°
- **PTTART120DKBZ**  
Dark Bronze—Triple at 120°
- **PTTARQ090DKBZ**  
Dark Bronze—Quad at 90°

NOTE: Must order round pole adapter separately (RPADB-DS or RPABL-DS).



PTTA

# SITELIGHTER ACCESSORIES


REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT.  
ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.



## POLE TOP TENON ADAPTER—SQUARE


- **PTTASS000DKBZ**  
Dark Bronze—Single luminaire
- **PTTASD090DKBZ**  
Dark Bronze—Double at 90°
- **PTTASD180DKBZ**  
Dark Bronze—Double at 180°
- **PTTAST090DKBZ**  
Dark Bronze—Triple at 90°
- **PTTASQ090DKBZ**  
Dark Bronze—Quad at 90°

**NOTE:** Utilizes standard Decashield® 400 luminaire mounting arms with diagonal hole pattern. For **SPMM** hole pattern add **"028"** to end of ordering number.



## POLYCARBONATE VANDAL SHIELD


- **LVS-DMA**  
For use with Dimension™ (except **DMS**) and Decashield® 1000 luminaires only.
- **LVS-DMA001**  
For use with SAG glass only, Dimension (except **DMS**)
- **LVS-DS** (400 watt Max.)
- **LVS-SP**



## ROUND POLE ADAPTER

Substitute color of luminaire for \*\* in Ordering Number.  
See product pages.

- **RPA\*\*-DS** (For Decashield 400, 1000, Dimension 400, 1000)  
For 3.5 to 4.5-inch (89 to 114mm) OD poles
- **RPA\*\*-DS002** (For Decashield 400, 1000, Dimension 400, 1000)  
For 4.0 to 6.0-inch (102 to 152mm) OD poles
- **RPA\*\*-DC** (For Decasphere)  
For 3.5 to 4.5-inch (89 to 114mm) OD poles
- **RPA\*\*-SP** (For Decashield 175)  
For 3.5 to 4.5-inch (89 to 114mm) OD poles




# SITELIGHTER ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT.  
ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.

## SHORTING CAP (With standard three-prong plug)

- SCCL-PECTL



SCCL-PECTL

## TOP TENON – ROUND AND SQUARE POLES


Order luminaire with "R" choice for mounting

- D4TA\*\* - R-SGL - Single luminaire
- D4TA\*\* - R-D90 - Double at 90°
- D4TA\*\* - R-D180 - Double at 180°
- D4TA\*\* - R-T90 - Triple at 90°
- D4TA\*\* - R-Q90 - Quad at 90°

Substitute color of luminaire for \*\* in Ordering Number.

Example: DB = Dark Bronze (Standard)  
See product pages.

**NOTE:** Does not require round pole adapter.  
For flat top luminaire add "F" to the Ordering Number





D4TA

## WALL MOUNTING PLATE

- WMPBL-DS  
Black
  - WMPDB-DS  
Dark Bronze
  - WMPDB-SP (Decashield 175)  
Dark Bronze
- Fits**  
DCD & DCF, DSMT  
DKA & DSA  
Criterion with arm

WMPBL-DS  
WMPDB-DS  
(Not for use  
with outlet box)



WMPDB-SP